

C0603X129BATACTU

Aliases (C0603X129BATAC7867)

SMD Comm X8G HT150C Flex, Ceramic, 1.2 pF, +/-0.1 pF, 250 VDC, X8G, SMD, MLCC, High Temperature, Ultra-Stable, 0603, 0.4 mm



General Information	
Series	SMD Comm X8G HT150C Flex
Style	SMD Chip
Description	SMD, MLCC, High Temperature, Ultra-Stable
Features	High Temperature, Ultra-Stable
RoHS	Yes
Termination	Flexible Termination
Marking	No
AEC-Q200	No
Typical Component Weight	4.6 mg
Shelf Life	78 Weeks
MSL	1

Dimensions	
Chip Size	0603
L	1.6mm +/-0.17mm
W	0.8mm +/-0.15mm
Т	0.8mm +/-0.15mm
S	0.4mm MIN
В	0.45mm +/-0.15mm

-	1.0111111 - 7 0.17111111	Measurement Condition	TIVII IZ I.O VIIIIS	
W	0.8mm +/-0.15mm	Tolerance	+/-0.1 pF	
Т	0.8mm +/-0.15mm	Voltage DC	250 VDC	
S	0.4mm MIN	Dielectric Withstanding Voltage	625 VDC	
В	0.45mm +/-0.15mm	Temperature Range	-55/+150°C	
		Temp. Coefficient	X8G	
Packaging Specifications		Capacitance Change with	30 ppm/C, 1MegaHz 1.0Vrms	
Packaging	T&R, 180mm, Paper Tape	Reference to +25°C and 0 VDC Applied (TCC)		
Packaging Quantity 4000		Dissipation Factor	0.1% 1 MHz 1.0Vrms	

Specifications

03	Capacitance	1.2 pF
mm +/-0.17mm	Measurement Condition	1 MHz 1.0 Vrms
3mm +/-0.15mm	Tolerance	+/-0.1 pF
3mm +/-0.15mm	Voltage DC	250 VDC
łmm MIN	Dielectric Withstanding Voltage	625 VDC
15mm +/-0.15mm	Temperature Range	-55/+150°C
	Temp. Coefficient	X8G
R, 180mm, Paper Tape	Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC)	30 ppm/C, 1MegaHz 1.0Vrms
00	Dissipation Factor	0.1% 1 MHz 1.0Vrms
	Aging Rate	0% Loss/Decade Hour: Referee Time is 1000 Hours
	Insulation Resistance	100 GOhms

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 05/04/2025 © 2006 - 2025 YAGEO