

C1206C202F2TACTU

Aliases (C1206C202F2TAC7800)

SMD Comm X8G HT150C, Ceramic, 2,000 pF, 1%, 200 VDC, X8G, SMD, MLCC, High Temperature, Ultra-Stable, 1206, 1.5 mm



General Information	
Series	SMD Comm X8G HT150C
Style	SMD Chip
Description	SMD, MLCC, High Temperature, Ultra-Stable
Features	High Temperature, Ultra-Stable
RoHS	Yes
Termination	Tin
Marking	No
AEC-Q200	No
Typical Component Weight	25 mg
Shelf Life	78 Weeks
MSL	1

Dimensions	
Chip Size	1206
L	3.2mm +/-0.2mm
W	1.6mm +/-0.2mm
Т	1mm +/-0.10mm
S	1.5mm MIN
В	0.5mm +/-0.25mm

Packaging Specification

Packaging Quantity

Packaging

	3.2mm +/-0.2mm	Measurement Condition	1 kHz 1.0Vrms
	1.6mm +/-0.2mm	Tolerance	1%
	1mm +/-0.10mm	Voltage DC	200 VDC
	1.5mm MIN	Dielectric Withstanding Voltage	500 VDC
	0.5mm +/-0.25mm	Temperature Range	-55/+150°C
		Temp. Coefficient	X8G
ns	T&R, 180mm, Plastic Tape	Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC)	30 ppm/C, 1kHz 1.0Vrms
	2500	Dissipation Factor	0.1% 1 kHz 1.0Vrms
		Aging Rate	0% Loss/Decade Hour: Referee

Specifications

	Capacitance	2,000 pF
	Measurement Condition	1 kHz 1.0Vrms
	Tolerance	1%
	Voltage DC	200 VDC
	Dielectric Withstanding Voltage	500 VDC
	Temperature Range	-55/+150°C
	Temp. Coefficient	X8G
e	Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC)	30 ppm/C, 1kHz 1.0Vrms
	Dissipation Factor	0.1% 1 kHz 1.0Vrms
	Aging Rate	0% Loss/Decade Hour: Referee Time is 1000 Hours
	Insulation Resistance	100 GOhms

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 05/05/2025 © 2006 - 2025 YAGEO