


C1206C240FATACTU

Aliases (C1206C240FATAC7800) SMD Comm X8G HT150C, Ceramic, 24 pF, 1%, 250 VDC, X8G, SMD, MLCC, High Temperature, Ultra-Stable, 1206, 1.5 mm



General Information	
Series	SMD Comm X8G HT150C
Style	SMD Chip
Description	SMD, MLCC, High Temperature, Ultra-Stable
Features	High Temperature, Ultra-Stable
RoHS	Yes
Termination	Tin
Marking	No
AEC-Q200	No
Typical Component Weight	15 mg
Shelf Life	78 Weeks
MSL	1

Dimensions	
Chip Size	1206
L	3.2mm +/-0.2mm
W	1.6mm +/-0.2mm
Т	0.78mm +/-0.10mm
S	1.5mm MIN
В	0.5mm +/-0.25mm

W	1.6mm +/-0.2mm
Т	0.78mm +/-0.10mm
S	1.5mm MIN
В	0.5mm +/-0.25mm
Packaging Specifications	

Temp. Coefficient X80	S	1.5mm MIN	Dielectric Withstanding Voltage	625
Packaging Specifications Packaging T&R, 180mm, Plastic Tape Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC) Packaging Quantity 4000	В	0.5mm +/-0.25mm	Temperature Range	-55,
Packaging Quantity 4000 Packaging Quantity 4000			Temp. Coefficient	X80
Packaging Quantity 4000 Packaging Quantity 4000	Packaging Specific	cations	Capacitance Change with	30।
Packaging Quantity 4000 Dissipation Factor 0.19	Packaging	T&R, 180mm, Plastic Tape	Reference to +25°C and 0 VDC	
	Packaging Quantity	4000	Dissipation Factor	0.19
A : D !			•	0.17

Specifications	
Capacitance	24 pF
Measurement Condition	1 MHz 1.0Vrms
Tolerance	1%
Voltage DC	250 VDC
Dielectric Withstanding Voltage	625 VDC
Temperature Range	-55/+150°C
Temp. Coefficient	X8G
Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC)	30 ppm/C, 1MegaHz 1.0Vrms
Dissipation Factor	0.1% 1 MHz 1.0Vrms
Aging Rate	0% Loss/Decade Hour: Referee Time is 1000 Hours
Insulation Resistance	100 GOhms

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 05/03/2025 © 2006 - 2025 YAGEO