



SMD Comm X8G HT150C Flex, Ceramic, 13 pF, 10%, 250 VDC, X8G, SMD, MLCC, High Temperature, Ultra-Stable, 1206, 1.5 mm



General Information	
Series	SMD Comm X8G HT150C Flex
Style	SMD Chip
Description	SMD, MLCC, High Temperature, Ultra-Stable
Features	High Temperature, Ultra-Stable
RoHS	Yes
Termination	Flexible Termination
Marking	No
AEC-Q200	No
Typical Component Weight	15 mg
Shelf Life	78 Weeks
MSL	1

13 pF

Dimensions	
Chip Size	1206
L	3.3mm +/-0.4mm
W	1.6mm +/-0.35mm
Т	0.78mm +/-0.20mm
S	1.5mm MIN
В	0.6mm +/-0.25mm

L	3.311111 +/-0.411111	Measurement Condition	TIVINZ I.OVITIS
W	1.6mm +/-0.35mm	Tolerance	10%
Т	0.78mm +/-0.20mm	Voltage DC	250 VDC
S	1.5mm MIN	Dielectric Withstanding Voltage	625 VDC
В	0.6mm +/-0.25mm	Temperature Range	-55/+150°C
		Temp. Coefficient	X8G
Packaging Specifications		Capacitance Change with	30 ppm/C, 1MegaHz 1.0Vrms
Packaging	T&R, 330mm, Plastic Tape	Reference to +25°C and 0 VDC Applied (TCC)	, , ,
Packaging Quantity	10000	Dissipation Factor	0.1% 1 MHz 1.0Vrms
		Aging Rate	0% Loss/Decade Hour: Referee

	3.3mm +/-0.4mm	Measurement Condition	1 MHz 1.0Vrms
	1.6mm +/-0.35mm	Tolerance	10%
	0.78mm +/-0.20mm	Voltage DC	250 VDC
	1.5mm MIN	Dielectric Withstanding Voltage	625 VDC
	0.6mm +/-0.25mm	Temperature Range	-55/+150°C
		Temp. Coefficient	X8G
fications		Capacitance Change with	30 ppm/C, 1MegaHz 1.0Vrms
	T&R, 330mm, Plastic Tape	Reference to +25°C and 0 VDC Applied (TCC)	
ty 10000	Dissipation Factor	0.1% 1 MHz 1.0Vrms	
		Aging Rate	0% Loss/Decade Hour: Referee Time is 1000 Hours
		Insulation Resistance	100 GOhms

Specifications

Capacitance

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 05/03/2025 © 2006 - 2025 YAGEO