

C1206X154F3JACTU

Aliases (C1206X154F3JAC7800) SMD Comm U2J Flex, Ceramic, 0.15 uF, 1%, 25 VDC, U2J, SMD, MLCC, FT-CAP, Ultra-Stable, 1206, 1.5 mm



| General Information | |
|--------------------------|-------------------------------------|
| Series | SMD Comm U2J Flex |
| Style | SMD Chip |
| Description | SMD, MLCC, FT-CAP, Ultra- Stable |
| Features | FT-CAP, Ultra-Stable |
| RoHS | Yes |
| Termination | Flexible Termination |
| Marking | No |
| AEC-Q200 | No |
| Typical Component Weight | 30 mg |
| Shelf Life | 78 Weeks |
| MSL | 1 |

| Dimensions | |
|------------|-----------------|
| Chip Size | 1206 |
| L | 3.3mm +/-0.4mm |
| W | 1.6mm +/-0.35mm |
| Т | 1.2mm +/-0.15mm |
| S | 1.5mm MIN |
| В | 0.6mm +/-0.25mm |
| | |

Packaging Quantity

| | • | |
|--------------------------|--------------------------|----------|
| T | 1.2mm +/-0.15mm | Vo |
| S | 1.5mm MIN | Di |
| В | 0.6mm +/-0.25mm | Te |
| | | Te |
| Packaging Specifications | | C |
| Packaging | T&R, 180mm, Plastic Tape | Ca Re |

2500

| Specifications | |
|--|--|
| Capacitance | 0.15 uF |
| Measurement Condition | 1 kHz 1.0Vrms |
| Tolerance | 1% |
| Voltage DC | 25 VDC |
| Dielectric Withstanding Voltage | 62.5 VDC |
| Temperature Range | -55/+125°C |
| Temp. Coefficient | U2J |
| Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC) | -750+/-120 ppm/C, 1kHz 1.0Vrms |
| Dissipation Factor | 0.1% 1 kHz 1.0Vrms |
| Aging Rate | 0.1% Loss/Decade Hour: Referee Time is 1000 Hours |
| Insulation Resistance | 6.6667 GOhms |

| Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and |
|--|
| we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the |
| requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us |
| with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained. |

Generated 05/03/2025 © 2006 - 2025 YAGEO