

## C1206X229BATACTU

Aliases (C1206X229BATAC7800)

SMD Comm X8G HT150C Flex, Ceramic, 2.2 pF, +/-0.1 pF, 250 VDC, X8G, SMD, MLCC, High Temperature, Ultra-Stable, 1206, 1.5 mm



General Information		
Series	SMD Comm X8G HT150C Flex	
Style	SMD Chip	
Description	SMD, MLCC, High Temperature, Ultra-Stable	
Features	High Temperature, Ultra-Stable	
RoHS	Yes	
Termination	Flexible Termination	
Marking	No	
AEC-Q200	No	
Typical Component Weight	15 mg	
Shelf Life	78 Weeks	
MSL	1	

2.2 pF

1 MHz 1.0Vrms

Dimensions	
Chip Size	1206
L	3.3mm +/-0.4mm
W	1.6mm +/-0.35mm
Т	0.78mm +/-0.20mm
S	1.5mm MIN
В	0.6mm +/-0.25mm

L	3.3mm +/ -0.4mm	
W	1.6mm +/-0.35mm	
Т	0.78mm +/-0.20mm	
S	1.5mm MIN	
В	0.6mm +/-0.25mm	
Packaging Specifications		

_	7			
W	1.6mm +/-0.35mm	Tolerance	+/-0.1 pF 250 VDC 625 VDC -55/+150°C	
Т	0.78mm +/-0.20mm	Voltage DC		
S	1.5mm MIN	Dielectric Withstanding Voltage		
В	0.6mm +/-0.25mm	Temperature Range		
		Temp. Coefficient	X8G	
Packaging Specifications		Capacitance Change with	30 ppm/C, 1MegaHz 1.0Vrms	
Packaging Specifications		Capacitance Change with	30 ppm/C, 1MegaHz 1.0Vrms	
Packaging Specifications Packaging	T&R, 180mm, Plastic Tape	Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC)	30 ppm/C, 1MegaHz 1.0Vrms	
	T&R, 180mm, Plastic Tape	Reference to +25°C and 0 VDC	30 ppm/C, 1MegaHz 1.0Vrms 0.1% 1 MHz 1.0Vrms	
Packaging		Reference to +25°C and 0 VDC Applied (TCC)		

**Specifications** 

Measurement Condition

Capacitance

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 05/05/2025 © 2006 - 2025 YAGEO